


TrueSeal™ Thermoplastic Push-In Fitting

Kynar® PVDF Range



Parker's Kynar® PVDF range is the only Push-to-Connect fluoropolymer fitting on the market and brings the ease of a Push-to-Connect fitting to new markets. This range offers unique solutions for applications with high temperatures, strong chemical concentration or oxidizers such as ozone.



Product Features:

- NSF 51 Listed
- Lead free all plastic design
- Maximum working pressure 300 psi
- Temperature rated up to 275°F
- Ultem plastic gripper collet is standard
- Fluorocarbon O-ring standard
- Kynar®(PVDF) metal gripper collet is available as an option
- Kynar®(PVDF) metal gripper collets available in the following colors:
 - Black (BLK)
 - Blue (BLU)
 - Green (GRN)
 - Red (RED)
 - Yellow (YEL)
- When ordering Kynar®(PVDF) metal gripper collet, designate H and the color. Example HBLU




ENGINEERING YOUR SUCCESS.

TrueSeal™ Thermoplastic Push-In Fitting

Kynar® PVDF Range

MC - Male Connector


Tube-to-Pipe



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	NPTF THD SIZE	C HEX	L OVERALL LENGTH	D THRU HOLE MIN.
F4MC2	1/4	1/8	11/16	1.28	.175
F4MC4	1/4	1/4	11/16	1.14	.175
F4MC6	1/4	3/8	11/16	1.18	.175
F5MC2	1/8	5/16	13/16	1.46	.175
F5MC4	1/4	5/16	13/16	1.41	.188
F6MC2	3/8	1/8	13/16	1.46	.175
F6MC4	3/8	1/4	13/16	1.41	.250
F6MC6	3/8	3/8	13/16	1.27	.250
F6MC8	3/8	1/2	15/16	1.45	.250
F8MC6	1/2	3/8	15/16	1.65	.360
F8MC8	1/2	1/2	15/16	1.46	.375

TU - Tee Union


Tube-to-Tube



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.		M	N	D THRU HOLE MIN.
	TUBE A RUN	TUBE B STEM			
F4TU4	1/4	1/4	.81	0.85	.175
F5TU5	5/16	5/16	1.02	1.02	.188
F6TU4	3/8	1/4	1.02	1.03	.175
F6TU6	3/8	3/8	1.02	1.02	.290
F8TU8	1/2	1/2	1.20	1.20	.375

MTS - Male Tee Swivel

Tube-to-Pipe




NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	NPTF THD SIZE	C HEX	M	N	D THRU HOLE MIN.
F4MTS2	1/4	1/8	9/16	.81	1.60	.175
F4MTS4	1/4	1/4	11/16	.81	1.71	.175
F6MTS2	3/8	1/8	9/16	1.02	1.75	.175
F6MTS4	3/8	1/4	13/16	1.02	1.90	.250
F6MTS6	3/8	3/8	13/16	1.02	1.90	.250

* Part consists of tee union and tube stem adaptor.
Note: Assemblies with plastic collets can be taken apart.

MES - Male Elbow Swivel

Tube-to-Pipe




NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	NPTF THD SIZE	C HEX	M	N	D THRU HOLE MIN.
F4MES2	1/4	1/8	9/16	.87	1.60	.175
F4MES4	1/4	1/4	11/16	.87	1.71	.175
F4MES6	1/4	3/8	13/16	.90	1.91	.212
F6MES2	3/8	1/8	9/16	1.02	1.65	.175
F6MES4	3/8	1/4	13/16	1.02	1.90	.250
F6MES6	3/8	3/8	13/16	1.02	1.90	.250

* Part consists of elbow union and tube stem adaptor.
Note: Assemblies with plastic collets can be taken apart.

EU - Elbow Union

Tube-to-Tube



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	M	N	D THRU HOLE MIN.
F4EU4	1/4	0.87	.87	.175
F5EU5	5/16	1.02	1.02	.188
F6EU4	3/8-1/4	1.02	.90	.212
F6EU6	3/8	1.02	1.02	.250
F8EU8	1/2	1.20	1.20	.375

UC - Union Connector


Tube-to-Tube



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	L OVERALL LENGTH	D THRU HOLE MIN.
F4UC4	1/4	1.49	.175
F6UC4	3/8-1/4	1.70	.175
F5UC5	5/16	1.70	.188
F6UC6	3/8	1.70	.250
F8UC8	1/2	1.91	.375

FA - Faucet Adapter

Tube-to-Faucet




NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	UNS-2B THREAD SIZE	C HEX	L OVERALL LENGTH	D THRU HOLE MIN.
F4FA7	1/4	7/16-24	23/32	1.32	.190
F6FA7	3/8	7/16-24	13/16	1.41	.190

CAP - Tube Cap

NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	L OVERALL LENGTH
F4CAP	1/4	.77

MRS - Male Elbow Swivel

Tube-to-Pipe




NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	NPTF THD SIZE	C HEX	L	M	N	D THRU HOLE MIN.
F4MRS2	1/4	1/8	9/16	1.55	0.81	0.85	.175
F4MRS4	1/4	1/4	11/16	1.67	0.81	0.85	.175
F6MRS4	3/8	1/4	13/16	1.90	1.02	1.02	.250
F6MRS6	3/8	3/8	13/16	1.90	1.02	1.02	.250

*Part consists of tee union and tube stem adaptor.
Note: Assemblies with plastic collets can be taken apart.

ST - Straight Thread

Tube-to-Male O-Ring Boss



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	UNF-2B THD SIZE	C HEX	L OVERALL LENGTH	D THRU HOLE MIN.
F6ST9 (+)	3/8	9/16-18	13/16	1.39	.250

*FCB = Fluorocarbon




Available From:
freshwatersystems.com
serving you since 1989

[CLICK HERE](https://www.freshwatersystems.com)

FC - Female Connector


Tube-to-Pipe



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	NPTF THREAD SIZE	C HEX	L OVERALL LENGTH	D THRU HOLE MIN.
F4FC2	1/4	1/8	11/16	1.20	.175
F4FC4	1/4	1/4	23/32	1.32	.175
F5FC4	5/16	1/4	13/16	1.41	.188
F6FC4	3/8	1/4	13/16	1.41	.250
F6FC6	3/8	3/8	1	1.50	.250
F6FC8	3/8	1/2	1-1/8	1.52	.250
F8FC6	1/2	3/8	1-1/8	1.60	.375
F8FC8	1/2	1/2	1-1/8	1.75	.375

FF - 45° Female Flare


Tube-to-Flare



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	UNF-2B THREAD SIZE	C HEX	L OVERALL LENGTH	D THRU HOLE MIN.
F4FF4	1/4	7/16-20	23/32	1.32	.190
F6FF4	3/8	7/16-20	13/16	1.41	.190
F6FF6	3/8	5/8-18	1	1.50	.250

ME - Male Elbow


Tube-to-Pipe



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	NPTF THD SIZE	M	N	D THRU HOLE MIN.
F4ME2	1/4	1/8	.84	.94	.175
F4ME4	1/4	1/4	.84	.94	.175
F4ME6	1/4	3/8	.84	1.04	.175
F5ME4	5/16	1/4	1.03	1.08	.175
F6ME4	3/8	1/4	1.03	1.08	.250
F6ME6	3/8	3/8	1.03	1.06	.250

BU - Bulkhead Union


Tube-to-Tube



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	C1 HEX	C2 HEX	L OVERALL LENGTH	P MAX. WALL THK.	D THRU HOLE MIN.	BKHD HOLE DRILL SIZE
F4BU4	1/4	15/16	15/16	1.50	.50	.175	7/8
F5BU5	5/16	1-1/16	1-1/16	1.75	.62	.188	1
F6BU6	3/8	1-1/16	1-1/16	1.75	.62	.250	1
F8BU8	1/2	1-1/4	1-1/4	2.04	.70	.375	1-1/8

TEU - Tube Elbow Union

Tube-to-Tube Stem



NATURAL KYNAR FCB SEAL	NOM. TUBE O.D.	TUBE STEM O.D.	M	N	D THRU HOLE MIN.
F4TEU4	1/4	1/4	.84	1.21	.125
F4TEU6	1/4	3/8	.84	1.35	.125
F5TEU5	5/16	5/16	1.03	1.40	.188
F6TEU4	3/8	1/4	1.03	1.29	.125
F6TEU6	3/8	3/8	1.03	1.64	.250
F8TEU8	1/2	1/2	1.21	1.64	.380

TPL - Plug

NATURAL KYNAR	FITTING SIZE	L OVERALL LENGTH
F4TPL	1/4	0.88
F6TPL	3/8	1.45

TCB - Tube-to-Barb Connector



NATURAL KYNAR	TUBE STEM O.D.	TUBE I.D.	L OVERALL LENGTH	D THRU HOLE MIN.
F4TCB4	1/4	1/4	1.67	.140
F6TCB4	3/8	1/4	1.82	.140
F6TCB6	3/8	3/8	1.98	.250
F8TCB8	1/2	1/2	2.10	.375


TEB - Tube Elbow Barb Connector



NATURAL KYNAR	TUBE STEM O.D.	TUBE I.D.	M	N	D THRU HOLE MIN.
F4TEB4	1/4	1/4	.89	1.00	.140
F6TEB6	3/8	3/8	1.34	1.21	.250

TMC - Tube Stem Adapter

Tube Stem-to-Pipe



NATURAL KYNAR	NOM. TUBE O.D.	NPTF THREAD SIZE	C HEX	L OVERALL LENGTH	D THRU HOLE MIN.
F4TMC2	1/4	1/8	9/16	1.44	.175
F4TMC4	1/4	1/4	11/16	1.56	.175
F5TMC4	5/16	1/4	11/16	1.67	.188
F6TMC4	3/8	1/4	13/16	1.70	.250
F6TMC6	3/8	3/8	13/16	1.70	.250

*FCB = Fluorocarbon

ENGINEERING YOUR SUCCESS.